

GD08 (S47, S48)	Q-net Multifunctional Device with 8" LCD & Touch Panel, on desktop for Pro
----------------------------	---

The Q-net Pro queue management software can be extended with several extra features and optional software modules. Some of them requires a hardware element. For this, we have created GD08 Multifunctional Device with 8" LCD & Touch Panel, on desktop.

The GD08 can be used for the following purposes currently:

- Customer feedback unit (to be used together with optional software module SH47, please check its datasheet)
- Software keyboard (to be used with optional software module SH48, please check its datasheet)
- Voice recording unit extended with a USB mini microphone (PCMU1 - to be used with optional software module SH38, please check its datasheet)
- GD08 can be used in combination of the above purposes; therefore it can be used as a customer feedback unit and voice recording unit at the same time.

GD08 Dimensions:

Height: 55 mm

Width: 196 mm

Depth: 129 mm

Power requirement: 12V DC, 1,5 A

Features:

- 10-Point Capacitive Touch
- Resolution: 800*1280
- Brightness: 300cd/m2
- Panel: 8" LCD IPS panel
- Non-slip silicone pad attached to the bottom for stable touch operation

Built-in WiFi, less signal interference, strong stability supports easy switching between multiple windows and multiple tasks, continuing the operating habits and experience of many personal PCs.

SPECIFICATION:

System	CPU	RK3288 Quad core cortex A17
	RAM	2GB
	Internal memory	16GB
	Operation system	Android 8.1
	Touch screen	10-Point capacitive touch
Display	Panel	8"LCD
	Resolution	800*1280
	Display mode	Normally black
	Viewing angle	85/85/85/85 (L/R/U/D)
	Contrast ratio	800 : 1
	Luminance	250cd/m2
	Aspect Ratio	9:16
Network	WiFi	802.11b/g/n
	Ethernet	10M/100M/1000M
	Buletooth	Bluetooth 4.0
Interface	Card slot	TF,support up to 32GB
	USB	USB for serial (RS232 format)
	USB	USB host 2.0
	Type-c	USB OTG Onely
	Power jack	DC power input
	Earphone	3.5mm earphone output
	RJ45	Ethernet function only
Media play	Video format	MPEG-1,MPEG-2,MPEG-4,H.265,H.264,VC-1,VP8, etc.,s up to 4K
	Audio format	MP3/WMA/AAC etc.
	Photo	jpeg
	Microphone	Single microphone
	Speaker	2*2W

		Language	Multi-language
		Working temp	0–40degree
		Certificates	
Accessories		Adapter	Adapter,12V/1.5A
		User manual	yes



